

County of Fairfax, Virginia

To protect and enrich the quality of life for the people, neighborhoods and diverse communities of Fairfax County

September 10, 2014

Frank W. Stearns Donohue and Stearns, PLC 201 Liberty Street Leesburg, VA 20175

RE: Rezoning Application RZ 2014-MV-002

Dear Mr. Stearns:

Enclosed you will find a copy of an Ordinance adopted by the Board of Supervisors at a regular meeting held on September 9, 2014, granting Rezoning Application RZ 2014-MV-002 in the name of the NCL XII, LLC. The Board's action rezones certain property in the Mount Vernon District from the R-1 District to the PDH-2 and R-1 Districts to permit residential development with an overall density of 1.39 dwelling units per acre (du/ac) and approval of the conceptual development plan. The subject property is located on the S. side of Telegraph Road, approximately 300 feet E. of its intersection with Accotink Road, [Tax Map 99-4 ((1)) 41, 42 and 43], subject to the proffers dated July 21, 2014.

Please note that on July 17, 2014, the Planning Commission approved Final Development Plan Application FDP 2014-MV-002.

The Board also approved modification of:

- Section 11-302(2) of the Zoning Ordinance for the maximum length of a private street in favor of the private street shown on the CDP/FDP
- Sections 8-0101.1 and 8-0102 of the Public Facilities Manual requiring a sidewalk on both sides of the private street in favor of the sidewalks shown on the CDP/FDP

Consumed Change

Catherine A. Chianese

Clerk to the Board of Supervisors

Cc: Chairman Sharon Bulova

Supervisor Gerry Hyland, Mount Vernon District

Tim Shirocky, Acting Director, Real Estate Division, Dept. of Tax Administration

Barbara Berlin, Director, Zoning Evaluation Division, DPZ

Diane Johnson-Quinn, Deputy Zoning Administrator, Dept. of Planning and Zoning

Thomas Conry, Dept. Manager - GIS - Mapping/Overlay

Michael Davis, Section Chief, Transportation Planning Division

Donald Stephens, Transportation Planning Division

Department of Highways-VDOT

Sandy Stallman, Park Planning Branch Manager, FCPA

Charlene Fuhrman-Schulz, Development Officer, DHCD/Design Development Division

Jill Cooper, Executive Director, Planning Commission

Ajay Rawat, Coordinator, Facilities Planning, Fairfax County Public Schools

Karyn Moreland, Chief Capital Projects Sections, Dept. of Transportation

At a regular meeting of the Board of Supervisors of Fairfax County, Virginia, held in the Board Auditorium in the Government Center at Fairfax, Virginia, on the 9th day of September, 2014, the following ordinance was adopted:

AN ORDINANCE AMENDING THE ZONING ORDINANCE PROPOSAL NUMBER RZ 2014-MV-002

WHEREAS, NCL XII, LLC, filed in the proper form an application requesting the zoning of a certain parcel of land herein after described, from the R-1 District to the PDH-2 and R-1 Districts, and

WHEREAS, at a duly called public hearing the Planning Commission considered the application and the propriety of amending the Zoning Ordinance in accordance therewith, and thereafter did submit to this Board its recommendation, and

WHEREAS, this Board has today held a duly called public hearing and after due consideration of the reports, recommendation, testimony and facts pertinent to the proposed amendment, the Board is of the opinion that the Ordinance should be amended,

NOW, THEREFORE, BE IT ORDAINED, that that certain parcel of land situated in the Mount Vernon District, and more particularly described as follows (see attached legal description):

Be, and hereby is, zoned to the PDH-2 and R-1 Districts, and said property is subject to the use regulations of said PDH-2 and R-1 District, and further restricted by the conditions proffered and accepted pursuant to <u>Va. Code Ann.</u>, 15.2-2303(a), which conditions are in addition to the Zoning Ordinance regulations applicable to said parcel, and

BE IT FURTHER ENACTED, that the boundaries of the Zoning Map heretofore adopted as a part of the Zoning Ordinance be, and they hereby are, amended in accordance with this enactment, and that said zoning map shall annotate and incorporate by reference the additional conditions governing said parcel.

GIVEN under my hand this 9th day of September, 2014.

Conemand. Chianese

Clerk to the Board of Supervisors

						1			٠
					•				
							•		
•									
	•								
	•								
		. •	•						
					•		•		
								•	
٠			÷						
				•		•			
							,		
				-					
							-		
					1			•	٠
-								•	
						•	-		
					·				
			•						
•									

PROFFER STATEMENT July 21, 2014 RZ-2014-MV-002 (Hollybrook Farm)

Pursuant to Section 15.2-2303(A), Code of Virginia, 1950 as amended, the undersigned Owner and Applicant, in this rezoning proffers that the development of the parcels under consideration and shown on the Fairfax County Tax Map as Tax Map 099-4-1-41, 42 & 43 (hereinafter referred to as the "Property") will be in accordance with the following conditions (the "Proffered Conditions"), if and only if, said rezoning request for the R-1 and PDH-2 Zoning District is granted. In the event said rezoning request is denied these Proffered Conditions shall be null and void. The Owner and Applicant, for themselves, their successors and assigns hereby agree that these Proffered Conditions shall be binding on the Future development of the Property unless modified, waived or rescinded in the future by the Board of Supervisors of Fairfax County, Virginia, in accordance with County and State statutory procedures. The Proffered Conditions are as follows:

GENERAL

- Substantial Conformance. Subject to the provisions of Section 16-403 of the Fairfax County Zoning Ordinance (hereinafter referred to as the "Zoning Ordinance"), development of the Property shall be in substantial conformance with the Conceptual Development Plan/Final Development Plan (CDP/FDP) titled "Hollybrook Farm," prepared by LDC consisting of 13 sheets, dated August, 2013 as revised through June 24, 2014 and further modified by these Proffered Conditions.
- 2. Minor Modifications. Minor modifications from what is shown on the CDP/FDP and these Proffered Conditions, which may be brought about as a part of final architectural and/or engineering design, may be permitted as determined by the Zoning Administrator in accordance with the provisions set forth in Section 16-403 of the Zoning Ordinance,. These modifications may include the locations of utilities and landscaping, minor adjustment of property lines, and the general location, type and size of dwellings on the proposed lots, provided that the minimum building setbacks outlined on the CDP/FDP are honored, and the limits of clearing and grading are adhered to.
- 3. Architectural Design. The design and architecture of the approved dwellings shall be in substantial conformance with the illustrative elevations shown on Sheet 9 of the CDP/FDP, or of comparable quality. The Applicant reserves the right to use an alternative product than what is shown on the illustrative elevations provided it is consistent with the illustrative elevations.

The building materials for the front elevation on all units shall be a combination of brick, stone and siding supplemented with trim and detail features. The rear

elevations on the units to be built on Lots 16, 17 and 18 shall be a combination of brick, stone or cementitious siding supplemented with trim and detail features. The units to be built on Lots 8, 9, 11 and 16 shall receive on the side elevations toward the private street a gabled elevation with a gable continuation and enhanced architectural features such as additional ornamental trim, shutters on windows and brick to the water table.

The extension into the minimum required side and rear yards for open and roofed decks (to include but not limited to pergolas and hanging plant fixtures) shall be permitted in accordance with Section 2-412 of the Fairfax County Zoning Ordinance. Decks with lattice below or above the deck floor may extend into the minimum required side and rear yards as an open or roofed deck in accordance with Section 2-412 of the Zoning Ordinance. Restrictions placed on the location of open and roofed decks per Section 2-412 of the Zoning Ordinance shall be disclosed to all prospective homeowners as a disclosure memorandum prior to entering into a contract of sale, included in the Homeowner's Association documents, and included as a covenant in the deed of subdivision. In accordance with the Zoning Ordinance, any sunrooms or enclosed porches may not encroach into the minimum required setbacks as shown on Sheet 2 of the CDP/FDP. This shall be disclosed to all prospective homeowners as a disclosure memorandum prior to entering into a contract of sale, included in the Homeowner's Association documents and included as a covenant in the deed of subdivision.

The con-span and face of the retaining wall shall be in substantial conformance with the illustration on Sheet 9 of the CDP/FDP. The applicant shall construct a 6-foot tall safety fence on the application property along the top of the retaining walls, as shown on Sheet 2 and 9 of the CDP/FDP.

- 4. <u>Universal Design.</u> Dwelling units shall offer optional features at the time of initial purchase designed with a selection of Universal Design features as determined by the Applicant which may include, but not be limited to, clear knee space under the sink in the kitchen, lever door handles instead of knobs, lights switches 48" high, thermostats a maximum of 48" high, and/or electrical outlets at a minimal 18" high. Additional Universal Design options shall be offered to each purchaser at the purchasers' sole cost. These additional options may include, but not be limited to, one no step pathway into the house and 36" wide doorways and/or zero threshold doorways.
- 5. Outlot A: This 21,780 square foot area of land is not included within the application density, open space or PDH-2 zoning calculations. It shall be conveyed to the owners of Fairfax County Tax Map Parcels 99-4 ((1)) 39A ("Owners") within 30 days of recordation of subdivision plat. Subsequent to conveyance of Outlot A, accessory structure(s) may be constructed on the property in conjunction with adjacent Parcels 39A, 39B, and/or 40, subject to meeting the R-1 District's minimum yard requirements and Article 10 of the Zoning Ordinance, Accessory Structures, requirements, without need for an amendment of this Application's Proffers and/or compliance with architectural design directives of Proffer 3. The road stub described

in Proffer 35 shall in a like manner be conveyed to the Owners. Outlot A and the road stub shall not be subject to the conditions, declarations, covenants or control of or by any homeowners association (HOA), nor will the Outlot's owners be a member of such HOA created by the Application subdivision.

- 6. <u>Blasting.</u> If blasting is required, the Applicant shall ensure that blasting is done pursuant to Fairfax County Fire Marshal requirements and all safety recommendations of the same, including without limitation, the use of blasting mats. In addition, the Applicant shall:
 - i. Retain a professional consultant, to perform a pre-blast survey of each occupied structure or building, to the extent that any of these structures are located within two hundred and fifty (250) feet of the property line of the Property and within two hundred and fifty (250) feet of any offsite blasting area;
 - ii. Prior to any blasting being done, the Applicant shall provide written confirmation to the Department of Public Works and Environmental Services ("DPWES") that the pre-blast survey has been completed and provide a copy of the survey to Fairfax County upon request. The blasting survey shall be deemed complete no later than thirty (30) days after notice to owners;
 - iii. Require the blasting consultant to request access to any houses, wells, buildings, businesses, or swimming pools, by notification to owners within two hundred and fifty (250) feet of the property line of the Application Property and within two hundred and fifty (250) fee of any off-site blasting area, if permitted by owner, to determine the pre-blast conditions of these structures. The Applicant's consultant will be required to give a minimum of thirty (30) days' notice of the scheduling of the pre-blast survey. If an owner does not reply to the Applicant's consultant within the aforesaid thirty (30) day notice period then the owner is deemed to have waived his right to claim any damage from the Applicant's blasting activity. The Applicant shall provide the residents entitled to pre-blast inspections, the name, address and phone number of the blasting contractor's insurance carrier;
 - iv. The Applicant shall require his consultant to place seismographic instruments prior to blasting to monitor shock waves. The Applicant shall provide seismographic monitoring records to County agencies upon their request;
 - v. Notify owners within two hundred and fifty (250) feet of the property line of the Application Property and within two hundred and fifty (250) feet of any off-site blasting area, ten (10) calendar days prior to blasting. No blasting shall occur until such notice has been given.
 - vi. Upon receipt of a claim of damage resulting from said blasting, the Applicant shall cause his consultant to respond within five (5) calendar days of meeting at the site of the alleged damage to confer with the property owner;

vii. The Applicant will require blasting subcontractors to maintain necessary liability insurance to cover the costs of repairing any damage to structures, which are directly attributable to the blasting activity and shall take necessary action to resolve any valid claims in an expeditious matter.

RECREATIONAL FACILITIES

- 7. Prior to subdivision plan approval, the Applicant shall contribute funds in the amount of \$1,700 per approved dwelling unit to the Fairfax County Park Authority (FCPA) for its use in providing recreational facilities within the service area of the Property for a total of \$30,600. The Applicant shall also at time of subdivision plat approval contribute the sum of \$45,543 to the Fairfax County Park Authority for development of recreational facilities located in Parks within the service area of the Property.
- 8. Prior to bond release, the Applicant shall transfer to the Fairfax County Park Authority Parcel A containing RPA, EQC and Floodplain and located south of the proposed Private Street (4.17 acres +/-). Parcel A shall not include the area labeled: "Existing Field Located Wetland" on Sheet 4 of the CDP/FDP. Prior to dedication of Parcel A, the Applicant shall remove waste and debris and perform the restoration work as shown on Sheet 8A of the CDP/FDP and in accordance with Proffer 32, subject to review and approval by UFMD, FCPA and DPWES. In accordance with Section 2-1102.4B of the PFM, the Applicant shall take any necessary corrective action prior to Park Authority acceptance. Corrective action to be undertaken in these portions of existing arena and similar features located outside the limits of clearing and grading is to be done by hand removal and coordinated with Site Development and Inspections Division (SDID) and FCPA as shown on Sheet 2. Following the site cleanup of debris and restoration and prior to land dedication, the Applicant shall arrange for an inspection by the Park Authority Land Acquisition Manager. If the condition of the land is acceptable to the FCPA, the Applicant shall dedicate the property prior to bond release including an access easement for the general public to be field located as per FCPA direction at subdivision plan review. If the FCPA does not accept all or portions of Parcel A subsequent to the inspection, such land shall be dedicated to and maintained by the future Homeowners Association (HOA) subsequent to the cleanup of debris and restoration.

SCHOOLS

9. Contribution and Adjustment thereto. Prior to subdivision plan approval, the Applicant shall contribute \$43,300 to the Fairfax County Board of Supervisors to be transferred to the Fairfax County School Board to be utilized for capital improvements to Fairfax County public schools to address impacts on the school division resulting from the development.

Following approval of this Application and prior to the Applicant's payment of the amounts set forth in this Proffered Condition 9, if Fairfax County should increase the ratio of students standards per unit or the amount of contribution per student, the Applicant shall increase the amount of the contribution for that phase of development

to reflect the then current ratio and/or contribution. If the County should decrease the ratio contribution amount, the Applicant shall provide the greater of the two amounts.

ESCALATION

10. <u>Escalation.</u> All monetary contributions required by these proffers other than as provided in Proffered Condition 7 and 9 shall be adjusted upward or downward based on the percentage change in the annual rate of inflation with a base year of 2014, and change effective each January 1 thereafter, as calculated by referring to the Consumer Price Index for all urban customers (CPI-U), (not seasonally adjusted) as reported by the United States Department of Labor, Bureau of Labor Statistics occurring subsequent to the date of final subdivision plan approval and up to the date of payment. In no event shall adjustment increase exceed the annual rate as calculated by the CPI-U.

CONSTRUCTION HOURS

11. Construction Hours, Exterior construction shall occur between the hours of 7:00 a.m. until 7:00 p.m. Monday through Friday, 8:00 a.m. until 6:00 p.m. on Saturday and 9:00 a.m. until 6:00 p.m. Sunday. Exterior construction activities shall not occur on the holidays of Memorial Day, July 4th, Labor Day, Thanksgiving, Christmas, Easter and New Year's Day. The aforesaid construction hours shall be posted on the property. The allowable hours of construction as specified in this Proffered Condition shall be listed within any contract with future sub-contractors associated with exterior construction on the site. An individual with authority to force all work to cease at the Property shall be identified by the Applicant with twenty-four (24) hour seven (7) day a week contact information and that name and contact information shall be prominently posted on the Property from commencement of construction until bond release. The Property shall be posted with notice that no exterior or interior construction vehicle or vehicle belonging to a construction worker may be parked on Telegraph Road within 1000 feet of the Property until bond release.

SEPTIC TANK/WELL ABANDONMENT

12. <u>Abandonment.</u> The existing septic tank and well shall be properly abandoned as required by the Fairfax County Health Department prior to the approval and/or issuance of the demolition permit for the existing single family detached residential unit.

ENVIRONMENT

- 13. <u>Green Building Qualification.</u> The dwelling units shall be constructed to achieve one of the following:
 - i. Qualification in accordance with ENERGY STAR® (VERSION 3.0) Qualified Homes path for energy performance, as demonstrated through documentation submitted to the Environment and Development review Branch of the Department of Planning and Zoning ("DPZ") and from a home energy rater certified through the Home Innovation Research Labs that demonstrates that each dwelling unit has

attained the certification prior to the issuance of the Residential Use Permit (RUP) for each dwelling; or

- ii. Certification in accordance with the National Green Building Standard (NGCS) using the ENERGY STAR® (version 3.0) Qualified Homes path for energy performance, as demonstrated through documentation submitted to the Environment and Development review Branch of the DPZ and from a home energy rater certified through the Home Innovation Research Labs that demonstrates that each dwelling unit has attained the certification prior to the issuance of the Residential Use Permit ("RUP") for each dwelling; or
- iii. Certification in accordance with the Earth Craft House Program, as demonstrated through documentation provided to DPWES and DPZ prior to the issuance of the RUP for each dwelling.

Certification testing shall be accomplished prior to the issuance of a RUP for each dwelling. The Certification testing requirement shall be met by emailing the building inspector, the preliminary inspection report of the third party inspector prior to the issuance of the RUP. Prior to Bond Release, the Applicant shall show proof to DPWES that all units met one of the conditions (i) - (iii).

- 14. Construction Debris. Prior to the issuance of subdivision plan approval, the Applicant shall submit a plan for the diversion of Construction and Demolition Debris waste from landfills and into recycling with a goal of achieving 75%, and a requirement of achieving 50%, recycling, repurposing and reuse efficiency, not including soils exported offsite. Repurposing and/or reuse of waste materials may include incineration of residual materials at a waste-to-energy facility after mechanized processing by a Materials Recovery Facility.
- 15. Noise. Concurrent with the submission of the first subdivision plan for the Proposed Development, the Applicant shall submit to the DPZ and DPWES for review and comment a noise study demonstrating that, based on noise mitigation measures the Applicant proposes to include (if any), all affected interior areas of the residential units constructed on the Property will have noise levels reduced to approximately 45 dBA Ldn or less based on future traffic conditions and final site conditions. Noise attenuation measures shall be incorporated into the development so as to achieve an interior noise level of no greater than DNL 45 dBA and an exterior noise level for outdoor areas, including decks, within lots at or below DNL 65 dBA. If necessary, the Applicant may install a six (6) foot solid wood fence to reduce exterior noise levels at the rear property line(s) of Lots 16, 17, 18 to below 65 dBA. Any acoustical analysis and noise attenuation measures shall be subject to the review and approval of the Environmental and Development Review Branch of the DPZ and DPWES at the time of subdivision plan. For dwelling units anticipated by the study to be affected by highway noise levels, those dwellings shall be constructed to meet the following building material standards to reduce interior noise levels to 45 dBA Ldn or less:

- Exterior walls should have a laboratory sound transmission class (STC) rating
 of at least 39. Doors and glazing shall have a laboratory STC rating of at least
 28 unless glazing constitutes more than 20% of any façade exposed to noise
 levels of 65 to 70 dBA Ldn.
- If glazing constitutes more than 20% of an exposed façade, then the glazing shall have a STC rating of up to 39 as dictated by the percent of glass.
- All surfaces should be sealed and caulked in accordance with methods approved by the American Society for Testing and Materials (ASTM) to minimize sound transmission.

The Applicant reserves the right to pursue methods other than those above for mitigating highway noise impacts that can be demonstrated prior to the filing of a building permit, through an independent noise study as reviewed and approved by DPWES and the DPZ, provided that these methods will be effective in reducing interior noise levels to approximately 45 dBA Ldn, and exterior noise within outdoor recreation areas to approximately 65 dBA Ldn.

16. Geotechnical Study. Prior to subdivision plan approval for the Proposed Development and in accordance with the provisions of the Public Facilities Manual, the Applicant shall submit a geotechnical study of the Property to the Geotechnical Review Board (GRB) through DPWES for review and approval. If needed to alleviate potential structural, grading and construction problems to the Property and the adjacent properties, the Applicant shall incorporate into its subdivision plan and/or building design appropriate engineering practices as recommended by the GRB and to the satisfaction of DPWES.

GARAGE CONVERSION

17. Garage Conversion. Any conversion of garages that will preclude the parking of vehicles within the garage shall be prohibited. A covenant setting forth this restriction shall be recorded among the land records of Fairfax County in a form approved by the County Attorney prior to the sale of any lots and shall run to the benefit of the Homeowners Association ("HOA") and the Board of Supervisors. This restriction shall also be disclosed in the HOA documents. Prospective purchasers shall be advised of this use restriction, in writing prior to entering into a contract of sale.

HOMEOWNERS ASSOCIATION

18. Establishment of HOA. Prior to record plat approval, the Applicant shall establish a HOA in accordance with Sect. 2-700 of the Zoning Ordnance for the purpose of, among other things, establishing the necessary residential covenants governing the design and operation of the approved development and to provide a mechanism for ensuring the ability to complete the maintenance obligations and other provisions noted in these Proffered Conditions. Outlot A, which is described in Proffered Condition number 5, will not be part of the HOA nor subject to the covenants, conditions, and restrictions associated therewith subsequent to its conveyance.

- 19. <u>Dedication to HOA</u>. At the time of subdivision plat recordation, open space, common areas, private streets, fencing and amenities not otherwise conveyed or dedicated to the County or FCPA shall be the property of the HOA and maintained by the same. The HOA reserves the right to grant easements for any purpose on the common areas as the HOA deems necessary.
- 20. Stormwater Management/Best Management Practice ("SWM/BMP") Maintenance. The future HOA shall be responsible for the maintenance of the "EX FIELD LOCATED WETLANDS" shown on Sheet 8A and the stormwater management facilities. After establishing the HOA and prior to bond release, the Applicant shall provide the HOA with written material describing proper maintenance of the approved SWM/BMP facilities along with a copy of the private stormwater management maintenance agreement, construction plan, as-built survey of such facility and any other documents and/or plans required by Virginia Code § 55-509.2.
- 21. Disclosure. Prior to entering into a contract of sale, prospective purchasers shall be notified in writing by the Applicant of school bus boarding locations, truck turn around requirements and County rear yard deck limitations and the maintenance or replacement responsibility for the streets, conspan bridge storm water management facilities, common area landscaping and any other open space amenities and shall acknowledge receipt of this information in writing. The homeowner association covenants shall contain clear language delineating the tree save areas as shown on the CDP/FDP. The covenants shall prohibit the removal of the trees except those trees which are dead, diseased noxious or hazardous (as determined by UFMD) and shall outline the maintenance responsibility of the homeowners association and individual homeowners. The initial deeds of conveyance and HOA governing documents shall expressly contain these disclosures and an estimated budget for such common maintenance items. The HOA documents shall stipulate that a reserve fund to be held by the HOA be established for the private street maintenance. The Applicant shall be responsible for placing the sum of \$75,000 in such reserve fund in three (3) equal allotments as follows: (i) at time of issuance of the first RUP; (ii) at the time of the issuance of the sixth RUP; and (iii) at the time of the issuance of the twelfth RUP. The HOA budget shall contain a line item for cost of a structural inspection of the conspan by a qualified independent inspector every two (2) years.
- 22. <u>Public Access Easement.</u> A public access easement in a form approved by the County Attorney shall be placed on the private streets, sidewalks and trails within the approved development. The requirements of this proffer condition shall be disclosed in the HOA documents.

STORMWATER MANAGEMENT

23. Stormwater Management. Subject to review and approval by DPWES, stormwater management ("SWM") and Best Management Practice ("BMP") measures for the Property shall be provided in substantial conformance with that shown on the approved CDP/FDP and shall be developed in accordance with the PFM, unless waived or modified by DPWES. The stormwater facility shall be designed to meet

the adequate outfall requirements as outlined in the PFM. The stormwater management system shall be reviewed for adequacy by DPWES at the time of final subdivision plat review. If any inadequacies are identified, the Applicant shall employ appropriate corrective measures to the satisfaction of DPWES, prior to final subdivision plat approval.

24. Follow-Up Surveys. The applicant shall conduct follow-up surveys at the completion of construction and one year following completion of construction to determine if the Applicant's discharge has altered and/or degraded any drainage in Mount Air Park. The Applicant shall measure at least three cross-sections of the channel at 100 foot intervals from each concentrated outfall and monitor the cross-section at the completion of construction and one year following completion of construction. If the monitoring shows that the stream channel has changed more than 10% at any individual cross section, more than 5% overall (measured vertically from a plane formed by the survey monuments) or that the stream or swale's thalweg has moved more than 3 feet or 25% of the stream width, the Applicant shall restore the swale/stream channel to a condition that will accommodate the changes in the stream/swale hydrology, as approved by DPWES and the Northern Virginia Soil and Water Conservation District.

LANDSCAPING

25. The first submission of the subdivision plan and all subsequent plan submissions shall include a landscape plan with at least one (1) eventual large shade tree per lot for review and approval by the Urban Forest Management Division (UFMD). The applicant shall provide for the berm, and fencing shown on Sheets 2 - 3 of the CDP/FDP. The berm, and fence along the eastern property line shall be installed concurrent with initial clearing and grading and the landscaping prior to bond release for the project landscaping. Under no circumstances shall the berm and fence have a total combined height of less than twelve (12) feet with the fence being no more than seven (7) feet of the total height.

TREE PRESERVATION

26. <u>Tree Preservation Plan.</u> The applicant shall submit a Tree Preservation Plan and Narrative as part of the first and all subsequent subdivision plat submissions. The preservation plan and narrative shall be prepared by a Certified Arborist or a Registered Consulting Arborist, and shall be subject to the review and approval of the Urban Forest Management Division, Department of Public Works and Environmental Services.

The tree preservation plan shall include a tree inventory that identifies the location, species, critical root zone, size, crown spread and condition analysis percentage rating for all individual trees to be preserved, as well as all on and off-site trees living or dead with trunks 12 inches in diameter and greater (measured at 4 ½ feet from the base of the trunk or as otherwise allowed in the latest edition of the Guide for Plant Appraisal published by the International Society of Arboriculture), located 25 feet outside the limits of clearing and grading and 10 feet inside of the limits of clearing

and grading shall be identified in the inventory as well. The tree preservation plan and narrative shall include all applicable items specified in PFM 12-0501 and 12-0502. Specific tree preservation activities that will maximize the survivability of any tree identified to be preserved such as crown pruning, root pruning, mulching, fertilization, and others as necessary, shall be included in the plan.

- 27. Tree Preservation Walk-Through. The Applicant shall retain the services of a Certified Arborist or Registered Consulting Arborist, and shall have the limits of clearing and grading marked with a continuous line of flagging prior to the walkthrough meeting. During the tree preservation walk-through meeting, the Applicant's appointed representative shall walk the limits of clearing and grading with a UFMD, DPWES, representative to determine where adjustments to the clearing limits can be made to increase the area of tree preservation and/or to increase the survivability of trees at the edge of the limits of clearing and grading, and such adjustment shall be implemented. Trees that are identified as dead or dying within the tree preservation area may be removed as part of the clearing operation. Any tree that is so designated shall be removed using a chain saw and such removal shall be accomplished in a manner that avoids damage to surrounding trees and associated understory vegetation. If a stump must be removed, this shall be done using a stump-grinding machine in a manner causing as little disturbance as possible to adjacent trees and associate understory vegetation and soil conditions. Notice of walkthrough shall be given to owners of adjacent properties identified as Tax Map 99-4 ((1)) 39A and 39B Tax Map 99-4((1))-38 and Tax Map 99-4((10))-1 by certified mail a minimum of 7 days prior to such walkthrough and shall be permitted attendance relative to the portion of the walkthrough relative to trees immediately adjacent to or on their properties.
- 28. Limits of Clearing and Grading. The Applicant shall conform strictly to the limits of clearing and grading as shown on the CDP/FDP, subject to allowances specified and for the installation of utilities as determined necessary by the Director of DPWES, as described herein. If it is determined necessary to install utilities in areas protected by the limits of clearing and grading as shown on the CDP/FDP, they shall be located in the least disruptive manner necessary as determined by the UFMD, DPWES. A replanting plan shall be developed and implemented, subject to approval by the UFMD, DPWES, for any area protected by the limits of clearing and grading that must be disturbed for such utilities.
- 29. Tree Preservation Fencing. All trees shown to be preserved on the tree preservation plan shall be protected by tree protection fence. Tree protection fencing in the form of four (4) foot high, fourteen (14) gauge welded wire attached to six (6) foot steel posts driven eighteen (18) inches into the ground and placed no further than ten (10) feet apart, or super silt fence to the extent that required trenching for super silt fence does not sever or wound compression roots which can lead to structural failure and/or uprooting of trees shall be erected at the limits of clearing and grading as shown on the erosion and sediment control sheets, as may be modified by the "Root Pruning" Proffered Condition below.

All tree protection fencing shall be installed after the tree preservation walk-through meeting but prior to any clearing and grading activities, including the demolition of any existing structures. The installation of all tree protection fencing should be performed under the supervision of a certified arborist, and accomplished in a manner that does not harm existing vegetation that is to be preserved. Three (3) days prior to the commencement of any clearing, grading or demolition activities, but subsequent to the installation of the tree protection devices the UFMD, DPWES, shall be notified and given the opportunity to inspect the site to ensure that all tree protection devices have been correctly installed. No grading or construction activities shall occur until the fencing is installed correctly, as determined by UFMD, DPWES.

- 30. Root Pruning. The Applicant shall root prune as needed to comply with the tree preservation requirements of these Proffered Conditions. All treatments shall be clearly identified, labeled, and detailed on the erosion and sediment control sheets of the subdivision plat submission. The details for these treatments shall be reviewed and approved by the UFMD, DPWES, accomplished in a manner that protects affected and adjacent vegetation to be preserved, and may include, but not limited to the following:
 - i. Root pruning shall be done with a trencher or vibratory plow to a minimum depth of 18 inches.
 - Root pruning shall take place prior to any clearing and grading, or demolition of structures.
 - An UFMD, DPWES, representative shall be informed when all root pruning and tree protection fence installation is complete.
- 31. Monitoring. During any clearing or tree/vegetation/structure removal on the Property, a representative of the Applicant shall be present to monitor the process and ensure that the activities are conducted as proffered and as approved by the UFMD. The Applicant should retain the services of a certified arborist or Registered Consulting Arborist to monitor all construction and demolition work and tree preservation efforts in order to ensure conformance with all tree preservation proffer, development conditions, and UFMD approvals. The monitoring schedule shall be described and detailed in the Landscaping and Tree Preservation Plan, and reviewed and approved by the UFMD, DPWES.

EOC/RPA RESTORATION AND WOIA/WRPA

- 32. All areas of the Environmental Quality Corridor (EQC) and Resource Protection Area (RPA) shall be restored in accordance with Sheet 8A of the C/FDP, subject to review and approval by DPWES, UFMD, and FCPA. A component of the restoration plan shall be an Invasive Species Management Plan which shall also be reviewed and approved by UFMD and FCPA.
- 33. Water Quality Impact Assessment and Resource Protection Area (WQIA/RPA)

 Exemption Plan: A WQIA/RPA restoration plan for the areas within the RPA
 previously disturbed and proposed for disturbance, as designated on the CDP/FDP,

shall be submitted concurrently with the first and all subsequent subdivision plan submissions for review and approval by Urban Forest Management Division and DPWES, and shall be implemented as approved. The HOA covenants shall include language notifying property owners and occupants of the homes of the restrictions and protection afforded those designated areas. The Applicant shall retain the services of a certified arborist, registered consulting arborist, or certified horticulturist to monitor all activities associated with the replanting of the RPA in order to ensure compliance with all proffer and UFMD approvals and provide written reports to UFMD. The plan shall provide plantings that include an appropriate selection of native species based on existing and proposed site conditions to restore the area to a native forest cover type and in accordance with the Chesapeake Bay Preservation Ordinance. The reforestation plan shall include, but not be limited to the following:

- Plant list detailing species, sizes, and stock type of trees and other vegetation to be planted;
- Soil treatments and amendments, if necessary;
- Methods to reduce deer browse;
- Methods to reduce weed competition;
- Mulching specifications
- Details and methods of installation
- Maintenance activities (such as weeding and watering);
- Mortality threshold; and
- Monitoring and replacement schedule with two (2) year warranty.

TRANSPORTATION

- 34. Sidewalks. The Applicant shall construct five foot sidewalks as shown on the CDP/FDP. The five foot sidewalk contiguous to Telegraph Road (Route 611) shall be subject to review and approval by the Virginia Department of Transportation (VDOT).
- 35. Access. The design of the access to Telegraph Road shall be subject to review and approval by VDOT. The hatched portion of R/W shown on Sheet 2 of 9, depicting an existing road stub ("road stub") on the CDP/FDP, shall be abandoned through the VDOT process which shall be submitted prior to filing of the subdivision plan and diligently pursued by the Applicant and finalized prior to subdivision plan approval. The Applicant shall be responsible for all costs associated with the abandonment and conveyance unless sharing of these costs is agreed upon by another party. The Applicant shall: close the entrance onto Telegraph Road; remove the existing pavement and scarify and revegetate this area; and extend the curb and gutter, buffers, and sidewalk as generally shown on the CDP/FDP. The road stub shall then be conveyed to the Owner of Outlot A as provided in Proffer number 5.
- 36. <u>Private Street</u>. The on-site private streets shall be constructed in conformance with the Public Facilities Manual (PFM) and shall be constructed of materials and depth of pavement consistent with the PFM, subject to any design modifications as to pavement and easement width and use of curb, that are approved by the Director of

DPWES. The Homeowners' Association shall be responsible for the maintenance of the on-site private streets and sidewalks. All prospective purchasers shall be advised of this maintenance obligation prior to entering into a contract of sale and said obligation will be disclosed in the HOA documents.

- 37. Right of Way Dedication. At the time of subdivision plan approval, or upon demand by Fairfax County or VDOT, whichever occurs first, the Applicant shall dedicate, at no cost to Fairfax County and in fee simple, without encumbrances to the Board of Supervisors, an additional 60 square feet of right-of-way along the site frontage of Telegraph Road as shown on Sheet 2 of the CDP/FDP and any associated ancillary easements. Density credit is reserved consistent with the provisions of the Fairfax County Zoning Ordinance for all eligible dedications described herein or as may be required by Fairfax County or VDOT.
- 38. Interparcel Access. At the time of conveyance of Outlot A to the adjacent property owners of Parcel 99-4 ((1)) 39A and 39B, the Applicant shall record an ingress and egress easement concurrent therewith providing access from Outlot A to the Private Street on the Application property. The easement shall align with and match the centerline and width of the adjacent intersection as shown on Sheet 2. The Applicant shall provide a VDOT standard driveway apron as shown on Sheet 2. At the time of subdivision plat recordation, an ingress and egress easement shall be provided connecting the Private Street adjacent to Lots 1 and 7 to the property line of Tax Map 99-4 ((1)) 38. The Applicant shall provide an escrow in the amount of \$8,202.62 at time of subdivision plan approval to facilitate this future construction by others. A clearly visible and legible sign stating "Future Access" shall be posted facing the Property and maintained until connection is complete.

AFFORDABLE HOUSING

39. Housing Trust Fund. Prior to subdivision plan approval, the Applicant shall contribute a sum equal to one-half of one percent (0.5%) of the projected sales price for each dwelling unit on the Property to the Fairfax County Housing Trust Fund, as determined by the Department of Housing and Community Development in consultation with the Applicant to assist the County in its goal to provide affordable dwellings. The projected sales price shall be based upon the aggregate sales price of all of the units, as if those units were sold at the same time of the issuance of the first building permit and is estimated through comparable sales of similar type units.

SIGNS

40. <u>Signs.</u> Any sign installed by the Applicant shall be in conformance with Article 12 of the Zoning Ordinance. The Applicant may install a monument sign at or near the entrance to the development to provide clear notice in adequate time for north bound traffic on Telegraph Road to identify the entrance. The Applicant shall also at or near the entrance to the development cause to be posted a "No Through Street" sign.

SUCCESSORS AND ASSIGNS

41. Successors and Assigns. These Proffered Conditions shall bind and inure to the benefit of the Applicant and his/her successors and assigns with exception of Out Lot A as set forth in Proffered Condition 5.

SIGNATURES BEGIN ON THE FOLLOWING PAGE

APPLICANT/CONTRACT PURCHASER OF TAX MAP 99-4-((1))-41, 42 & 43 NCL XII, LLC

By:F. Gary Garczynski Its: Member

RALPH J. YOW, JR., TESTAMENTARY TRUST TITLE OWNER OF TAX MAP 99-4-((1))-41, 42 & 43

By: Andrew G. Bury, Jr.

Trustee

.

.

FINAL DEVELOPMENT PLAN CONDITIONS

FDP 2014-MV-002

July 3, 2014

The Planning Commission approved FDP 2014-MV-002 for residential development at Tax Map 99-4 ((1)) 41, 42, and 43. The approval was subject to conformance with the following development conditions:

1. Development of the property shall be in substantial conformance with the FDP entitled "Hollybrook Farm" submitted by LDC consisting of 13 sheets dated August, 2013 as revised through June 24, 2014.

		•		
·				-
				•
				4
			,	• •
			•	
•			·	
	·•			
		· · · · · · · · · · · · · · · · · · ·		
•			·	

NOTES

1 THE PROPERTY THE WATER ON THE PLAT IS LOCATED ON EXPERT COUNTY CADASTRAL PLAY NO. 49-4 (71) PARCES IN . 49, AND AN AND CHRESTLY ZOND R-L

9 THE DESCRIPT REPORT HEREON IS CONDUCTED AN THE WHIS OF THE DAY FRANK ALL ANDREADS THE LAND DESCRIPT OF EMPERAL MARKET.

LOTS 41-49 - ANDREM G. BURY, JR., TRUSTEE OF THE RALAM S. YOM TESTAMENTARY TRUST AS RECORDED IN HILL BOOK 810, PAGE 298 THE APPLICANT IN HEL SH. LLC.

- 3. THE BOUNDARY SHAMM HERBON IS BASED ON A FIELD SHAVEY BY THIS FIRM PERFORMED ON JAHARTY M, 2013. TITLE REPORT FURNISHED BY FRIST AMERICAN TITLE RESIDENCE COMPANY, COMPRIMENT NO AZONICALL EFFECTIVE DATE OF JAME B, 2012 FOR PARCELS AV-IS.
- THE TOPOGRAPHY SHOWN HEREON IS BASED ON A PIELD SURVEY BY THIS FREY PERFORMED JANUARY 21-25, 2013. THE VERTICAL DATUM IS REFERENCED TO NOVO
- 5. THE PROPERTY SHOWN LINEARY LIES WITHIN A ZONE TO, AN AREA DETENDING TO BE CUTSION THE GLE ANNALI CHAICE FLOCOMANY AS DILINEATED OF FLOCO RESERVED RATE THAP, COTAINITY PARIE, IN: SUSPICIOSES, DILITE SUPPLIES IT, 2006. HAVEVER A MINIC FLOCOPLAN DOES DISTS OF THE PROPERTY PER MI APPROVED PROCEDULAN STRUET STRUET—PRO-CA, APPROVED PROCES IS, STRUET
- C. ALL CONTROLTED SHALL COMPORT TO THE PROMISSION OF ALL AMPLICABLE ORDANNECS, REGLATIONS HAD ADDITED STANDARDS OF FARMA COUNTY AND VOOT DESEMT AS REQUISITED REPORT. THE AMPLICATE RESERVED THE ROUT TO AMPLY FOR HAY PRIME PERMICATIONS OF MYN DESIGN CRITICAL AT THE TIPE OF SEMPONSHIP PROMISTED REPORTED THE PEDIFICATIONS AND IS ABSOLUTION. CORPORANCE WITH THE CITY OF
- EIGISCH AND SEDIFIRIT CONTROLS SHALL BE RESTALLED PRICE TO ANY CLEARING, GRADING, OR CONSTRUCTION AS PER REGARDING OF THE STATE OF VIRGINA AND THE CODE OF PAIRPAIL COUNTY.
- 8. (AND DISSIN CONSULTANTS, INC. 19 NOT AWARE OF ANY UTLITY FAMILIES EXIST ON THE SUBJECT PROPERTY HITH A HIGH OF 25 FEET OR HORE.
- 9. ALL UTLITTES RESTALLED AS PART OF THIS PROJECT SHALL BE PLACED UNDERGROUND, THE UTLITY LOCATIONS SHOW HEREIM ARE FOR BLUSTRATIVE PARTICLES ONLY AND ARE SUBJECT TO CHARGE HITH FOAL DISNEERING, LINTS OF CLEARING AND GRADING SHALL BE SI GORDAL CONFORMANCE WITH THOSE
- ID. AIR DUALITY PERFETS SHALL BE OSTAINED, IF REQUERED, AND PROVIDED PRIOR TO ANY CLEARING, GRADING OR CONSTRUCTION
- IL THE SITE HILL BE SERVED BY PLEILY, HATTER AND SANITARY SOURD.
- RESOURCE PROTECTION AREA (RPA) IS LOCATED ON THE SUBJECT PROPERTY PER AN APPROVED DELINEATION BY ECS, LTD. (1975-1974-001-1). A RESOURCE
- B, THE COMPREMENTE PLAN RECOMMEND EXPLORMENT OF THE PROPERTY AS RESIDENTIAL AT A EXISTE OF 1-3 EMBLING WHITE FOR MORE AMO PRIMATE OPEN SMAL, THE PROPERTY OF 13M DUNINGE MEETS THE WITHIN OF THE COMPREMIENCE PLAN THE SITE CHEMIC, DESIRTY, ALERHING USES AND PROPOSED PRESENTATION AND PLANTACES MAIL EMPLOY THE PROPERTY AND HELE THE PROPERTION CONTINUES CONTRACT STATES AND STATE PROPERTY.
- IA, IN ACCORDANCE WITH THE PARKEAX COUNTY TRAILS FLAK, A TRAIL IS NOT REQUIRED ON THE SUBJECT PROPERTY, A TRAIL CARRENTLY EXISTS ON THE HORTH SIDE OF TELEGRAPH ROLD, ACCORDS FROM THE SUBJECT PROPERTY.
- E. LDC IS NOT ANARE OF ANY BURIAL SITES LOCATED ON THE SUBJECT PROPERTY.
- E. TELESCAPIL ROLD IN 1917 SHOWN ON THE COUNTY'S TRANSPORTATION PLAN OR VICTI & YEAR PLAN TO BE HIDBIED OR HYPROVED. THIS PORTION OF TELESCAPI ROLD WE CONTRUCTED TO THE ULTRIATE NOTH AS A ROLR LINE, CARE AND GUTTER SECTION ROLD PER VOOT PLAN 648-627-50,CGB. NO ADDITIONAL DEDICATION IS REDURED AS THIS ROLD IS IT ITS ULTRIATE WITH PER RECONT REPROPERTYS. THE PROPOSED PRIVATE STREETS HILL BE PRIVATELY FUNDAMED.
- IT. AN ENGRONMENTAL QUALITY CORRIGOR (EGC) AS DETINED IN THE ADOPTED COMPRESIONAL PLAN DOES EXIST ON THE BLOCKET PROPERTY, SEE SHEET 2. THE COMPONENTS OF A PAINTANT DEDICTION DO DOIST ON SITE, NOWINES THE APPLICANT IS NOT HAVINGING THE DEBITY SO NO REDUCTION APPLIES, SEE
- IS. LOC DOES NOT BELIEVE ANY HAZARDOUS OR TOXIC SUBSTANCES HAVE BEEN GENERATED, UTILIZED, STORED, TREATED, AND/OR DISPOSED OF OR HAVE BEEN CENSORYED OF THE BURBLECT PROPERTY.
- PL DEVELOPMENT OF THE PROJECT SHALL CONTRICE AT SUCH THE AS APPROPRIATE COUNTY APPROVALS HAVE BEEN OBTAINED AND SUBJECT TO THE DISCRETION
- 20, A GEOTECHNICAL REPORT SHALL BE SUBHITTED FOR REVIEW BY FAREFAX COUNTY CONCURRENTLY WITH THE FINAL SUBDIVISION FLAN.
- 11. THE SUBJECT PROPERTY HILL HEET SHIVEHY RECORDED TO THROUGH USE OF CHEMIC BIO-RETORIZED FACILITIES, PLEASE SEE SHEETS 2 & FOR ADDITIONAL RECORDED THROUGH THESE PACIFIES HALL BE PROVATELY PARTICULAR.
- 20, ALL DIRECTIONS ARE APPROXIMATE AND TYPICAL HOUSE POSTERIATS AND ELEVATIONS SHOWN ON THESE LOTS HAY BE POSTED PROVIDED THAT PROPERTIONS ARE IN SUBSTANTIAL CONFIDENCE WITH THE CYPOP AND THE PRINTERS YARDS ARE PROVIDED.
- III. THE APPLICATION HAS BEEN DESIGNED WITH THE PREMIET PACKS OF CREATING A DEVELOPMENT THAT IS SPELAR TO ADJACENT PREMIETS AND HELL PRIMITED AND THE SPECIAL BY ADJACENT PROPERTY CHARGE. THE APPLICANT HALL BE PREMIETING MATURAL FEATURES OF SITE AS SIGNAL OF MEETS 2 I S. ADDITIONAL PARTICAL MARKON PACKS OF THE HELL PERSON DEVELOPMENT BACKS THAT THE PACT OF CHARGING THE MEET IS LESS THAT THE
- 24. ADDITIONAL TREE PLANTINGS AND PRESERVATION, AS SIZEM ON THE CPDP, MILL PROVIDE ADDITIONAL TREE PLANTINGS AND PROVIDE AN AMERITY TO
- 25. MINOR ADJUSTMENTS TO THE LOT LINES AND UTILITY LOCATIONS SHALL BE PERINTIZED IN ACCORDANCE HITH THE PHAL GRADING AND UTILITY LAYOUT AND SHALL RE IN SURSTANTIAL CONFORMANCE HITH THAT PROVIDED HEREIN.
- 26. EXSTING STRUCTURES CONSTRUCTED IN MIG. MIG AND MIG AND SHALL BY REPOYED. THE APPROPRIATE HEIGHT OF THE EXISTING STRUCTURES IS 20 FEET.
- 27. THE APPLICANT IN PROPOSING UPPL SPACE AND TREE PRESENTATION ABOVE THE PRIMARY REGIRED, PRESERVATION OF AN CHISTE PERDANAL STREAM AND PRESERVATION OF STEEP TOPOGRAPHY AS AN APERITY INTILITIES PLANNED CONTAINTY.
- 25. THE PROPOSED PRIVATE STREETS HELL BE PRIVATELY HUNTANED BY THE HONEOWNER'S ASSOCIATION. HD STREET LIGHTS ARE PROPOSED IN CONLINCTION
- 24. THE PROPOSED PRIVATE STREET HILL BE EXTENSED TO THE ADJACENT PARCE. SO IN THE PUTINE BY OTHERS, AN INGRESSTRESS EASINED! THILL BE RESERVED TO THE APPLICATION PROPERTY BOARDARY HITH PARCE. SO TO PACLITATE THIS PUTINE CONNECTION BY OTHERS.

WAIVERS AND MODIFICATIONS

I. THE APPLICANT RESPECTIVELY REQUESTS A NAVER OF THE HANDEN LEAGTH OF A PHIVATE STREET AS NOTED IN SECTION II-SOC(2) OF THE YOMES ORDINANCE. THIS STREET HAS BEEN DESCRIBED TO EXTEND TO ADJACENT PARCEL AS BY OTHERS IN THE PUTURE, THEREFORE ADDITIONAL LEWENT IS
REQUESTED.

- 2. THE APPLICANT RESPECTIVELY REQUESTS PERMISSION TO EXTRACAL WITH THE RESOURCE PROTECTION AREA AS SHOWN ON SHEET 2. A BETWARTE REAL PROTECTION POR COMPTEES IN-3-4(7) AND IN-3-4(7) OF THE COMPTE CODE AND INTER COUNTY REPORT AND THES POR COMPTEE IN-4-1 OF THE COMPTEE CODE HAVE REPORTED AN CONTROLLED AND INTERPRETABLE AND THE REPORTED.
- S. THE APPLICANT RESPECTIVELY REQUESTS PERPOSICIN TO BICROLOG WITO THE THINK PLOCUPLAN AS SHOWN OF SHEET 2 PER SECTION 2-VERI() OF THE ZONIG GROWNICZ, A SEMANTE LETTER OF PERPOSICIN ALL BE SERVITTON IN COLLINCTION WITH THIS REQUEST. PERPOSED PRIVATE STREET AS NOTION IN COLLINCTION IN THIS REQUEST PROPERTY OF THE PROPERTY PROPERTY AS NOTION IN COLUMN AND SHOWN OF THE PROPERTY PROPERTY AS NOTION IN COLUMN AND SHOWN OF THE PROPERTY PROPERTY AS NOTION IN COLUMN AND SHOWN OF THE PROPERTY PROPERTY AS NOTION IN COLUMN AND SHOWN AND SHOWN OF THE PROPERTY PROPERTY AS NOTION AND SHOWN AND SHOWN OF THE PROPERTY PROPERTY AS NOTIONAL SHOWN AND PROSERVES THE REALL COMPACTION OF THE PROPERTY AND PROSERVES THE REALL COMPACTION OF THE PROPERTY AND PROSERVES THE REALL COMPACTION OF THE PROPERTY AND PROPERTY OF THE PROPE

TABULATIONS

POLICIE AL 11.07352 SET ARRIA - SIA, ATTE OR. SLANI ACRES SUITLOT A (O.S. ACRES) TO BE RESCRED TO RAIL COMPLYED TO THE OWNER OF TAX THAT SHAPE A DOOR THAT EXPLORED TO THE OWNER SULUPED IN THE DISHIFT OR OPEN SAME THEMATICAE.

EXISTRIG ZONING . R-I

EXGLANG AMERICA - REP. 2014.]
PORI-ON EUL, THE OR ELANG ACRES (EXCLUSIVE OF PUTURE CUTLOT A)
R-1-2, 7800 OR 0.8 ACRES (CUTLOT A CALT)

PROPOSED USE - SHIELE PAPELY DETACHED

PARMEN BUILDING HEIGHT REGURED . 36 PEET HHRMAN DISTRICT SIZE REGURED - 2 ACRES

AVERAGE LOT ANY SECURITY - MONE RECIBERY WERNE LOT BUT PROMOTO - 19 200

PHINTER LOT SZE REGARED . HONE PHINTER LOT BUTE PROVIDED . 17,4004

PROPERTY LANGUAGES - MARK RECORDED

PRYMEN HAT

PROVIDED FRONT YARD 36' SIDE YARD 10' REAR YARD 36'

OPEN SPACE REGURED BOX OR 2.84 ACRES OPEN SPACE PROVIDED 1881 or 17.8 ACRES (PASSIVE OPEN SPACE)

RECURED (2 BRACESARY) = 36 SPACES PROVIDED (4 BRACESARY) = 72 SPACES (1914, 101 DRIVENLY WITH 2 SPACES IN DRIVENLY 6 2 SPACES IN GARAGE) + 11 VISITOR SPACES PHOTE: ALL TABULATIONS EXCLUSIVE OF OUTLOT A.P.


MAXIMUM DENSITY CALCULATIONS

STE AREA - EANI AC (FOL-3 PORTICH)
SON OF STE AREA - 6586 AC
AREA CONTRIBED OF HARRE CLAY - 55.45 AC
AREA CONTRIBED OF HARRE CLAY - 55.45 AC
AREA CONTRIBED OF HARRE CLAY - 55.45 AC TITUL AREA COMPRISED OF NAVINUM ODISTIT FEATURES - 16.00 AC HOS DEPORTY PERMITTED ON 10.00 AC = 120.04 CU SON DEPORTY PERMITTED ON 12.40 AC = 12.40 DU HAMPLE DENSITY PORTITIED + 122% DV (122 DV OR 11.70 DV/AC) PROPOSED DOISITT 11.34 DV/ACRE (18 LOTS)

PRIVATE STREET DETAIL


(SEE SHEET 2 FOR BIDGINES LOCATIONS)

FATRFAX COUNTY PUBLIC FACILITIES MANUAL





VICINITY MAP



SOILS MAP


INFORMATION PROBLET CLASS POSPORT DRAINAGE POTENTIAL

NI POOR POOR LON

SOL HATE 90 COPCIELE - HATECRO KINGSTOHIE SASSAFRAS MARLIECO COMPLEX JACH DEA POOR POOR . LOH 72 KINGSTONAK-SASSA/RAS-MEANSON COMPLEY MB KUR POOR POOR N PASSARBAS-PURINGO OTRES

SOL A

77



IN ACCORDANCE HENT SECTION 2-AC OF THE EXHANG ORDINANCE, ANY OPEN INCK HENT HO MART OF ITS MICHOLARDER THAN AT ABOVE FINISHED GROADS LEVE, HAY EXTEND HITO THE SHEET VARD OF BUT HOT CLEASER THAN IF TO ANY SHEET OF HEAD BITTO THE REAR YARD OF BUT HOT CLEASER THAN IF TO ANY SHEE OR REAR LOT LINE.

IN ACCORDANCE HTM SECTION 3-40 OF THE ENTING ORDINANCE, ANY OPEN DECK HTM ANY PART OF THE ROOM INGIENT THAN A BOME PRESEND GROUND LETSE, THY NOT ENTED SHIPD A SIDE YARD AND THE PRINGS OF THE A BEAUT MADE, SHIP AT LOOSE THAN 3" TO ANY REAR LOT LISE AND ANY COMES THAN A POSTANCE SCAN. TO THE THEM TEXTURED SHIP LINES AND THE SHIP LINES AND ANY THE THEM TEXTURED SHIP LINES AND THE

SHEET INDEX

SCHMILL LIMING

1. COME GREAT DEVELOPENT PLAN

2. CONCEPTIMENTAL DEVELOPENT PLAN

4. DESTRIC CONSTICUT PLAN

5. DESTRIC SESSITATION PLAN

5. DESTRIC SESSITATION PLAN

5. TERRE PRESENTATION MARRATTER

6. SERRE PRESENTATION MARRATTER

6. MARRATTER PRIMER PRIMER PROPERTION

6. MARRATTER PRIMER PRIMER PRIMER PRIMER

6. CROSS SECTION A-A

6. CROSS SECTION


DATE COMPANY I HEREST CERTIFY THAT OTHER THAN THE REVISION SHE'HE HERESM, HO OTHER CHARLES HAVE BEEN THUSE 277 WA SHEET / or 9 DATE: AUGUST, 200 DRAFT: CHECK FILE HATBER


温ま


の研


FARM


TERSOX

















TREE CONDITION ANALYSIS

ECS Mid-Atlantic, LLC (ECS) conducted a site recognaissance to evaluate the wooded habitat on the project site in March 2013. The undeveloped portions of the site are comprised primarily of Upland Hardwoods (i.e. Maple species, Oak species, Black Wainut, Sycamore, Hickory species, Gun species, American Beech, Tulip Poplar, Chestnut, and Black Cherry). The species of trees assessed near the limits of clearing are listed in the Tree Table on the Existing Vecetation Man. In addition to those species, White Pine, American Holly, and Hemiock were also observed ansite.

Based on our site reconnaissance, invasive and/or naxious species (i.e.) Japanese Honeysuckie, Bittersweet, English Tvy, Common Periwinkie, Bamboo, Mulitflora Rose) are present in the project site. Invasive species located within the areas to be preserved should be removed by hand wherever practicable to minimize site disturbance. The trees ensite are in Good/Fair condition, except where otherwise noted on the EVM (i.e.: Poor or Dead). Oneits trees within 150-feet of the proposed limits of clearing meet the standards for structural integrity and health identified In \$ 12-0403.2A and 12-0403.2B and are identified on the Existing Vacatation Map. At the time of Inspection there were poor and dead trees located within 150-feet of the proposed limits of clearing, which are identified on the Existing Vegetation Map.

In accordance with 5 12-0507,E2(1), trees designated for preservation shall be protected during

TREE PRESERVATION NARRATIVE

8 12-0509.38: Dead or potentially hazardous trees shall be removed upon their discovery if they are lacated within 100-feet of the proposed limits of clearing. Dead trees not within this area shall be left in place to serve at wildlife habitat. Dead or patentially hazardow trees will be removed by hand (i.e., chainsow) wherever practical and will be conducted in a manner that incurs the least amount of damage to surrounding trees and vegetation proposed for preservation. Felled trees shall be left in place and brush should be removed by hand. No heavy equipment shall be used within tree preservation areas.

\$ 12-0509.3C: Based on the current condition of the existing wooded areas, no adverse human health risks are unticipated provided that trees which pose a hazard to human health and safety are properly removed from areas where they could pase such a risk

\$ 12-0509.30: Invasive and/or naxious species (i.e.: Japanese Honeysuckie, Bittersweet, English Ivy, Common Periwinkie, Bamboo, Mulitflora Rose) are present in the sits. Invasive species located within the areas to be preserved should be removed by hand wherever practicable to minimize site disturbance. See the Investve Species Control Norretive note for species-specific control measures. Most of the forested areas within the tree preservation area do not contain invasive plant species at levels that endanger the long-term ecological functionality, health, and regenerative capacity of any native plant communities present ansite.

\$ 12-0509.3E: The Applicant is not requesting official Specimen Tree designation for any of the large trees located onsite and is not using a multiplier for tree canapy calculations.


\$ 12-0509.3F: Non-impacted Specimen trees located on and off-site shall be protected throughout all phases of construction by utilizing tree protection fencing as required by 512-0507.2E(1).


\$ 12-0509.3G: Prior to land disturbing activities, root pruning with a vibratory plow, transher or other device approved by the Director shall be conducted along the limits of clearing adjacent to tree preservation areas. Root pruning shall be conducted along the proposed limits of clearing and grading adjacent to the wooded habitat to be preserved and along property boundaries where the CRZ of off-site trees will be impacted. Locations of root pruning and tree protection fencing are shown on the Tree Preservation & Protection Plan.

\$ 12-0509.3H: No trees will be transplanted as part of the proposed construction activities.

\$ 12-0509.31: Tree protection fencing and signage shall be placed subsequent to the staking of the limits of clearing in the field prior to construction in accordance with current Februa County ordinances. 14-gauge welded wire fence shall be used as devices to protect trees and forested areas. The protective device shall be placed within the disturbed area at the limits of clearing and erected at a minimum height of 4 feet, except for super silt fence where height may be 3.5 feet. The fencing material shall be mounted on 6-foot tall steel posts driven 1.5 feet into the ground and placed a maximum of 10 feet apart,

\$ 12-0509.33: No work shall occur within the areas to be protected. Oneite trees within the limits of clearing and grading will be removed. No trees outside this area shall be removed unless indicated on the plan. Trees in preservation areas indicated on the plan to be removed shall be removed by hand. Dead or hazardous trees within this area may be limbed or topped, rather than removing the entire tree and left as more.






hote - shared trees shall not be removed without written femalssion from affected and again fromerly owners.

-TREES LOCATED ON "OUTLOT A" ARE CONSIDERED CHARTE BUT ARE NOT THRUMBED THE CANDRY CALCULATIONS AS THE DUTLOT WILL BE DETDED TO OTHERS.






NEWINGTON, VIRGINIA FARM HOLLYBROOK

PRESERVATION NARRATIVES

ECS REVISIONE 10/17/11 THA

01:20319-/



2. A positive depicting the alternature management inclify(fee) and limits of deading and produce accuments. The Pertination hashing-small forcity(lee) alternationage pipe systems and outlet projection, pand against social tracks, all auditals, energy disciplancy reviews, and phosp application recognitions or action on (free).

4. One'le dreinege channels, outlets and pipe systems are shown on Sheet <u>9.4.6</u> Pend tytel and outlet pipe systems are shown on Sheet, <u>NM</u>.

2. Neither rence across (reed) to stormwithin management declay(tes) are alread an extension on declaring production and an inspect to a SCHLIT_ product, pr

☑ 8. Undesping and the preservation above in and near the absolute management facility is stored

7. A iscomme ter management parastivel which contains a description of pow fetantion and best management precious regularization will be need to provided on Blassi.

[2] B. A description of the additing conditions of such numbered sits out-fall extended governorses from the utility of a podd which is at least 100 times the sits area or which has a drainage some of at faunt one square with 8400 above; in provider on Times 8.

2. A cleanty-lies of how the putlet requires units, including continuing dustrop Features laterupt will be pedicted in provided on Street _____

enter management is put required because

BHP FACILITY DESIGN CALCULATIONS

L HATHERED MICENSTON 4000 A. - DEVELOPED NV CONTROLS (BIONETENTION FILTER N.) A+ DEVELOPED NV CONTROLS (BUCKETBITTON PIL 119 AV) 14 A. DORGERO MY CONTROLS PODEWRIGHTONER AND A ... 14 Ar DOBOTO HOST COSTAS

A HONOLOGY OF SHEET BOTH STOP

(A) AREA OF THE SITE (c) B.41 ACRES (B) SUBJECT DESIGNATION AND DESCRIPTION ť ACRES PRODUCT Ar- DOMESTED NV CONTROLS (SIGNETERTION PLANE W) 444 144 477 A DEVELOPED WY CONTROLS (BIORETENTION FATIER RE) AT DEVELOPED HV CONTROLS (CONSERVATIONS P. ANDA) Ar- DEVELOPED WOUT CONTRACT 25 117 244

A) TOTAL - EN (C) HOSHED AVENUE & FACTOR (A) / (A) = (A) & M. APPROXIBATION FOR THE STR.

BY REUN ME T'NCHR THE ET. (A) BATO ANTO (A) (A) (A) (A) (A) (A) EN RATE SE LEMAN ALOSA BUT FATER SEE LEMAN ALOSA t" Mater Anaput CONSIDER AREA INCHES ASSOCIATE MODERNALLER -

I HOTE A BORRETHION FLICK DESIGNER FOR ITE 1, 2 for TAN STORM EVENTS PROVINCES SET PROPERCIES REVOIL PROCESSET I PROVINCE DETENT ORT THE 1, 2 for TANS STORM SERVICE MEMBERS INCOMES RESOURCE DESIGNATION CONSERVATION ASSET PROPERTIES RESOURCE STREEMEN AND A "C" PACTOR RATIO SELDE."

CONTINUES HAVE BETWEEN THE PARKET BETWEEN THE BETWEEN REGISED RESPURSE RESULT FOR HATESHED .
PROSPERIES RESULED FROM LINE (%) ARMS

I MOSNICKIS REMOVAL RESURCE BUT ING BEEN PET F

MALLICIALS. L'ACICACHITY E.

THE SABET PROPERTY SI LOCATION SHIPS THE ACCOUNTS CREEK MATERIAGED. THE SABLECT PROPERTY THATHARD ONE STORM DIMENSION CHARLES OF THE SABLET PROPERTY AND THE ACCOUNTS OF THE SABLET PROPERTY AND THAT ACCOUNTS OF THE SABLET PROPERTY AND ACCOUNTS OF THE SABLET PROPERTY AND ACCOUNTS OF THE SABLET PROPERTY AND ACCOUNTS OF THE SABLET PROPERTY THE ACCOUNTS OF THE SABLET AND THE SABLET SABLET THE SABLET ACCOUNTS OF THE SABLET ACC

RECORDS.

COTTAIL.
DECLARGE LEAVES THE RELECT FROMETTY VA AN EXISTENCE INTEREAL COMMET. AND DECLARIGHS WITO AN EXISTENCE PROCEIPS AND STORY (RANKES EASTERN THAT A TOTAL FREE OF ATT ACRES OF THE THREBEOCK AT TEAST LIFE PROCEIPS IN THE AS TEASTH REF (FREE-DE-CAS). THE DESTRIES MITTHAN LIFE PROCEIPS IN THE ASSESSMENT FROME THREST THRESHOLD HERE ASSESSMENT AND CONTROL THE DESCRIPT FROME THE DESCRIPT FROME THRESHOLD HERE COMMET. THE ACCURATE PROCEIPS AND THRESHOLD ACCURATE PROCEIPS AND THRESHOLD ACCURATE PROCEIPS AND THRESHOLD HE ACCURATE CORRECT REPORT OF THE PROCEIPS AND SETTIME FROM THRESHOLD HE ACCURATE CORRECT REPORT OF THE PROCEIPS AND THRESHOLD HERE COMMET FROM THE ACCURATE CORRECT FROM THE ACCURATE CORRECT FROM THE ACCURATE CORRECT FROM THE ACCURATE OF THE PROCEIPS AND SETTIME PROCEIPS AND THRESHOLD AT THE PROCEIPS AND ACCURATE AND THRESHOLD AT THE ACCURATE AND THRESHOLD AT THE TOTAL PROCEIPS AND ACCURATE TO PROCEIPS THAT THE ACCURATE AND ADDRESS AND ACCURATE TO PROCEIPS THAT THE ACCURATE AND ADDRESS AND ACCURATE TO PROCEIPS AND ACCURATE THAT ADDRESS AND ACCURATE THAT ADDRESS AND ACCURATE THAT ALL PROCEIPS ACCURATE THAT ALL PROCEIPS AND ACCURATE THAT ALL PROCEIPS ACCURATE THAT ALL PROCEIPS ACCURATE THAT ALL PROCEIPS A

IT IS OUR PROFESSIONAL OPINION THAT ALL CATEFALLS ARE ADEQUATE IN ACCORDANCE INTO THE PIPE

STORMWATER MANAGEMENT INFORMATION

THE OF PACLITY - BIO-RETRITION I UNDISTRIBED OPEN SPACE PACLITY PURITHMICE - PRIVATEMEN

BE-RETRING FIGURE #

APPROXIME REGISED IN-TEAR WILES = IL-60 C.F. (TOTAL)

APPROXIME REGISED IN-TEAR WILES = IL-60 C.F. (TOTAL)

APPROXIMET REGISED SAMES = IL-60 S.F. (TOTAL)

APPROXIMET REGISED SAMES = IL-60 S.F. (TOTAL)

APPROXIMET SAMES SAMES INCOME.

APPRICATE SOUR ENGINE SILVEY - 12,40 C.F.
APPRICATE FASARED D-TEAR VILLEE - 12,40 C.F.
APPRICATE SOURCE POLICE - 12,40 C.F. (TOTAL)
APPRICATE SOURCE AND - 12,60 C.F. (TOTAL)
APPRICATE SOURCE SOURCE - 12,60
APPRICATE SOURCE SOURCE - 12,60
APPRICATE SOURCE TOTAL OUTSIT - 125,5

PRE-DEVELOPMENT SUBJECT PROPERTY

ARMIC TIME TO HELD AS MIR SOTTI ME

0. - (0.54)/3.45/3.44) - 21.2 CF3

9+ (024)(7.87)(8.44) = 26.3 CFS

POST-DEVELOPMENT SUBJECT PROPERTY

A-RAI AC, "C-434, To-6 MIC, IS -5.05 MICH, IS-7.97 MICH

в = (R.P.)(S.G.)(B.44) + 26.5 СТВ (ОСТВИТСК РИСИОЕО ВТ ВКО-ИСТВИТСК РИСИТЕВ)

. ALLE AFTER DETERTION

 $ilde{\theta}_{s}^{*}$ (NAV)(1.87)(18.44) \star 36.1 GTS (DETERMON PROVIDED BY BIO-RETERMON (ACCUMES)

a_{ar} 2003 AFTER DETERMEN

- DOIDTES OUTFALL



STORMWATER MANAGEMENT INFORMATION


FARM HOLL YBROOK

CONT. SCALE

AS SHOWN

SHEET 8 9

DATE: 2015 DRUFT: CHE KTM FITT FILE AUTOER























CONSPAN EXAMPLE





RETAINING WALL MATERIAL EXAMPLE

















M CROSS SECTION B-B

HOLLYBROOK FARM

THE PROPERTY OF THE PROPERTY O



Amended



COUNTY OF FAIRFAX

APPLICATION No: RZ/FDP 2014-MV-002

(Assigned by staff)

Department of Planning and Zoning **Zoning Evaluation Division**

12055 Government Center Parkway, Suite 801 Fairfax, VA 22035 (703) 324-1290, TTY 711 www.fairfaxcounty.gov/dpz/zoning/applications

RECEIVED Department of Planning & Zoning

APR 0 1 2014

APPLICATION FOR A REZONING (PLEASE TYPE or PRINT IN BLACK INK)

Zoning Evaluation Division

PETITION

	ARD OF SUPERVIS		AX COUNTY,	VIRGINIA	the applicant (s) peti	tion you to adopt an ordinan	ice
amending the Zo	oning Map of Fairfax	County, Virginia,	by reclassifying	g from the	R-1 District to	the PDH-2/R-1 Distri	ct
he property des	cribed below and outl	ined in red on the	Zoning Section	Sheet(s) accom	panying and made pa	art of this application.	
APPLICATIO	N TYPE(S):	PCA ()	CDP	(X) FDP	(X) CDPA	() FDPA ()
LEGAL DESC	RIPTION:	T	Mowingto	n PR PCL·A	1853/3077	100/005	
41,42,43	······································		Newngto	HIII OLA	1000/3077	106/325	
		<u></u>					_
Lot(s)		Block(s)	Subo	livision	Deed Book	Page No.	
TAX MAP DES	SCRIPTION:						
99-4	((1))			41, 42,	43	13.4411	
	(('//			,,		10.7711	
					·		
Map No.	Double Circle N	Jo Sinole	Circle No.	Parce	l(s)/Lot(s) No.	Total Acreage	\dashv
map 110.	Todate Cifete I.	10. Dingie	CHOIC ITO,	14100	- Cahrona Line	100011010050	
South side	of Telegraph R	oad - 300' E li		Road		ersection with Newgate Blvd	1.)
PRESENT US	Single rainly	Residential		PROPOSE		e Family Residential	
		ount Vernon			Y DISTRICT (S):	None	
indersigned has ubject property	the power to authoriz as necessary to proce	e and does hereby ss the application.	authorize Fair	affidavit form a fax County staff	ttached and made pa representative on off	rt of this application. The licial business to enter on the	;
Erank V	/. Stearns, Esq. e and Stearns, F	21 C	, 	+ Nuch	. With	\sim	
ype or Print N	lame		Sig	nature of Appli	cant or Agent		
201 Liberi	ty St., Leesburg,	VA 20175	(od	ork) (703)7:	26-2547 _{(Mobil}	le) (703) 795-0566	
Address	7		7	Telephone			
lease provide n	ame and telephone m	umber of contact if	different from	above:		·	4/1
OO NOT WRIT	TE BELOW THIS S	PACE		•		1222014-1	32
Date application	n accepted: Hp	ril 16, 20	<u>۱</u> کاد	1 (e Paid FO 570,00	_62:

						•
	•		•			
					·	
				•		
·					•	
·						
					·	
		·			•	
						·
	•					•

RZ 2014-MV-002 Zoning Application Closeout Summary Report

Printed: 9/12/2014

General Information

APPLICANT:

NCL XII, LLC

DECISION DATE:

09/09/2014

CRD:

. .

HEARING BODY:

NO BOS

ACTION:

APPROVE

STAFF COORDINATOR:

MEGAN BRADY

SUPERVISOR DISTRICT:

MOUNT VERNON

DECISION SUMMARY:

ON SEPTEMBER 9, 2014, THE BOARD UNANIMOUSLY APPROVED RZ 2014-MY-002 ON A MOTION BY SUPERVISOR HYLAND SUBJECTTO THE PROFFERS DATED JULY 21, 2014.

APPLICATION DESCRIPTION:

RESIDENTIAL

Zoning Information

Existing 2	Zoning	Propos	sed Zoning	Appro	oved Zoning	
DISTRICT R- 1	AREA 12.94 ACRES	DISTRICT	AREA 12.94 ACRES 0.50 ACRES	DISTRICT PDH- 2	AREA 12.94 ACRES	
R- 1	0.50 ACRES	R-1		R- 1	0.50 ACRES	
Tax Map Nun	nbers					
0994 ((01))()00	43 0994 ((01))()0041 09	994 ((01))()0042	<u></u>		

Approved Land Uses

Zoning District: PDH- 2

LAND USE		<u>DU'S</u>	RES LAND AREA	<u>ADU'S</u>	WDU'S	GFA	FAR	NRES LAND AREA
SFD		18	12.94 ACRES					
	TOTALS	18	12.94 ACRES					

Approved Waivers/Modifications

MODIFY ROAD PAVEMENT STANDARDS

MODIFY PFM STANDARDS FOR SIDEWALKS

PROFFER	DUE	TRIG#	IRIG EVENT	CONTRIB AMT	EXPIR. DTE
PUBLIC ACCESS EASEMENT	01-01-0001	. 0	N/A	\$0	01-01-0001
EASEMENT / MAINTENANCE - SWM	01-01-0001	0	N/A	\$0	01-01-0001
SIGNAGE	01-01-0001	0	N/A	\$0	01-01-0001
NOISE ATTENUATION (STUDY / WALL)	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
RESOURCE PROTECTION AREA (RPA)	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
PROFFERED PLANS	01-01-0001	0	N/A	\$0	01-01-0001
SEPTIC / ALTERNATE METHODS WASTE DISPOSAL	01-01-0001	0	AT REDEVELPMNT	\$0	01-01-0001
ARCHITECTURE / GREEN BUILDING / LEEDS	01-01-0001	O	RUP	\$0	01-01-0001
GEOTECHNICAL REVIEW	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
HOA NOTIFICATION / DISCLOSURE	01-01-0001	0	N/A	\$0	01-01-0001
DEDICATION - FCPA	01-01-0001	0	AT BONDING	\$0	01-01-0001
CONTRIBUTION - SCHOOLS	01-01-0001	. 0	SUBDIV PLAN	. \$0	01-01-0001
WELLS	01-01-0001	0	AT REDEVELPMNT	\$0	01-01-0001
RECYCLING	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
OUTFALL (ADEQUATE ETC)	01-01-0001	0	N/A	\$0	01-01-0001
BEST MANAGEMENT PRACTICES (BMP)	01-01-0001	0	N/A	\$0	01-01-0001
ACCESS RESTRICTIONS .	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
ARCHITECTURE / BUILDING MATERIALS / COLORS	01-01-0001	0	N/A	\$0	01-01-0001
BLASTING	01-01-0001	0	N/A	\$0	01-01-0001
CONTRIBUTION / OTHER LAND USE	01-01-0001	0	N/A	\$0	01-01-0001
HOA COVENANT / OPEN SPACE	01-01-0001	0	AT BONDING	\$0	01-01-0001
OTHER - ENVIRONMENT	01-01-0001	0	AT REDEVELPMNT	\$0	01-01-0001
LANDSCAPE PLAN REQUIRED	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
LIMIT'S OF CLEARING AND GRADING	01-01-0001	0	N/A	\$0	01-01-0001
HOUSING TRUST FUND	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
OTHER - HOUSING	01-01-0001	0	N/A	\$0	01-01-0001
CONTRIBUTION - FCPA / RECREATION	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
CONSTRUCTION - HOURS / NOISE	01-01-0001	0	N/A	\$0	01-01-0001
GARAGES - CONVERSION RESTRICTIONS	01-01-0001	0	N/A	\$0	01-01-0001
HOA ESTABLISH	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
TREE SAVE FENCING	01-01-0001	0	N/A	\$0	01-01-0001
RESTORATION / REFORESTATION / REPLANTING	01-01-0001	0	N/A	\$0	01-01-0001
RIGHT OF WAY - DEDICATION	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
CONVEYANCE OF OUTLOT	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
TREE PRESERVATION / SURVEY	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
PRIVATE STREET - MAINTENANCE/NOTICE	01-01-0001	0	N/A	\$0	01-01-0001
SIDEWALK / TRAIL	01-01-0001	0	N/A	\$0	01-01-0001
PRIVATE STREET - STANDARDS	01-01-0001	0	N/A	\$0	01-01-0001
NTERPARCEL ACCESS	01-01-0001	0	SUBDIV PLAN	\$0	01-01-0001
OTHER - GENERAL	01-01-0001	- 0	N/A	\$0	01-01-0001
MINOR MODIFICATION	01-01-0001	0	N/A	\$0	01-01-0001
	02 02 00032	-		**	

FDP 2014-MV-002 Zoning Application Closeout Summary Report

Printed: 9/12/2014

General Informat	tion		2 - 4			
APPLICANT:	NGL XII, LLC			•		
DECISION DATE:	07/17/2014					
CRD:	NO					
HEARING BODY:	PC			i .		
ACTION:	APPROVE	•			•	
STAFF COORDINATOR:	MEGAN BRADY					
SUPERVISOR DISTRICT:	MOUNT VERNON					
DECISION SUMMARY:						
FLANAGAN, SUBJECT TO 2014-MV-002 ON SEPT	O FDP CONDITIONS DATED JU FEMBER 9, 2014.	IANIMOUSLY APPROVED FDP 2 JLY 3, 2014 AND TO THE BOARI				
APPLICATION DESCRIPTION RESIDENTIAL	JN:					
Theorem and the second						
Zoning Informatio	n					
Existing Zoning		Proposed Zoning		Арр	roved Zoning	
DISTRICT AI	REA	DISTRICT AREA		DISTRICT	AREA	
•				PDH-2	12.94 ACRES	
Tax Map Numbers	5					
0994 ((01))()0043	0994 ((01))()0041	. 0994 ((01))()00	42			
Approved Land Us	ses				<u>, , , , , , , , , , , , , , , , , , , </u>	
Zoning District:						
LAND USE	<u>Du's</u>	RES LAND AREA	ADU'S	WDU'S	GFA FAR	NRES LAND AREA
т	DTALS				· ,	
Approved Waivers	/Modifications					
MODIFY ROAD PAVEMENT	STANDADDS		•			
	FOR SIDÉWALKS					

Approved Development Conditions	DEVELOPMENT CONDITION STATEMENT DATE: 07-03-2014						
DEVELOPMENT CONDITION	DUE	TRIG#	TRIG EVENT	CONTRIB	EXPIR DTE		
CONDITION - DEVELOPMENT PLAN	01-01-0001	0	N/A	0	01-01-0001		



Metes and Bounds Description
The property of

Andrew G. Bury, Jr., Trustee of the Ralph J. Yow, Jr. Testamentary Trust

Will Book 870 Page 238 Mount Vernon District Fairfax County, Virginia

Beginning at a point in Telegraph Road, Route # 611, variable width right of way, said point being the northwesterly property corner of the property of Gregory J. Budnik and Janice L. Budnik, deed book 18431, page 1828; thence running with the southwesterly property line of the property of Gregory J. Budnik and Janice L. Budnik, and continuing with a second parcel of Gregory J. Budnik and Janice L. Budnik, deed book 9365, page 790, South 43°17' 55" East, 326.44 feet to a point, thence running with the said second parcel of Gregory J. Budnik and Janice L. Budnik, and continuing with a third parcel of Gregory J. Budnik and Janice L. Budnik, deed book 8430, page 1248, North 29°17' 22" East, 82.40 feet to a point; thence running with the third parcel of Gregory J. Budnik and Janice L. Budnik, and continuing with the southerly property line of the property of Harris Family Company, LLC, deed book 9345, page 1726, South 61°00'56" East, 649.10 feet to a point, said point being corner to the property of the United States of America (Fort Belvoir); thence departing the property of Harris Family Company, LLC and running with the property of the United States of America (Fort Belvoir) the following four (4) courses and distances, South 60°01'04" West, 121.06 feet to a point; thence South 44°23'14" West, 196.06 feet; thence South 38°38'54" West, 175.82 feet, thence South 61°07'24" West, 262.74 feet to a point, said point being the northeasterly property corner of Parcel "B", Twinbrook at Mount Air, deed book 10255, page 392; thence departing the property of the United States of America (Fort Belvoir) and running with Parcel "B" continuing with Lot 1, Twinbrook at Mount Air, North 51°04'43" West, 913.47 feet to a point, said point being in the southeasterly right of way line of the aforementioned Telegraph Road; thence departing Lot 1 and running with the southeasterly right of way line of Telegraph Road the following ten (10) courses and distances, North 50°38'43" East, 87.85 feet to a point; thence North 66°54'19" East, 25.00 feet to a point; thence North 45°27'03" East, 44.18 feet to a point; thence North 50°38'43" East, 184.63 feet to a point of curvature; thence 203.97 along the arc of a curve deflecting to the left, having a radius of 2916.29 feet, and a long chord bearing and distance of North 48°38'29" East, 203.93 feet to a point; thence North 89°17'52" East, 23.24 feet to a point; thence South 47°25'45" East, 52.81 feet to a point, thence North 46°01'15" East, 22.61 feet to a point, thence North 44°59'26" West, 51.71 feet to a point; thence North 04°43'55" East, 6.03 feet to the point of beginning, containing 585,497 square feet, or 13.44117 acres of land, more or less.